

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S76	3	S69 and S71	US-PGPUB; USPAT	OR	ON	2010/06/03 14:37
S75	0	S69 same S71	US-PGPUB; USPAT	OR	ON	2010/06/03 14:37
S74	0	S72 and S73	FPRS; EPO; JPO	OR	ON	2010/06/03 14:37
S73	396	(slant\$3 slop\$3 inclin\$3 angl\$3) near2 (low\$3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture)	FPRS; EPO; JPO	OR	ON	2010/06/03 14:35
S72	1801	(block\$3 decreas \$3 diminish\$3 eliminat\$4 imped \$4 lessen\$4 low\$4 mitigat\$4 minimiz \$6 prevent\$4 reduc\$4 remov\$3 restrict\$4 shield \$3) near2 (bend\$3 scratch\$3 break\$4 damag\$3) near3 (disc disk DVD CD cassette diskette discette floppy floppies casette LP record media medium)	FPRS; EPO; JPO	OR	ON	2010/06/03 14:35

S71	7480	(block\$3 decreas \$3 diminish\$3 eliminat\$4 impeded \$4 lessen\$4 low\$4 mitigat\$4 minimiz \$6 prevent\$4 reduc\$4 remov\$3 restrict\$4 shield \$3) near2 (bend\$3 scratch\$3 break\$4 damag\$3) near3 (disc disk DVD CD cassette diskette discette floppy floppies cassette LP record media medium)	US-PGPUB; USPAT	OR	ON	2010/06/03 14:35
S70	32	S69 and "720"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 14:33
S69	4874	(slant\$3 slop\$3 inclin\$3 angl\$3) near2 (low\$3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture)	US-PGPUB; USPAT	OR	ON	2010/06/03 14:33
S68	7	("2577401" "3407964" "3566113" "3893259").PN. OR ("4235045"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/03 12:42
S67	5	S65 same S66	US-PGPUB; USPAT	OR	ON	2010/06/03 12:41
S66	7480	(block\$3 decreas \$3 diminish\$3 eliminat\$4 impeded \$4 lessen\$4 low\$4 mitigat\$4 minimiz \$6 prevent\$4 reduc\$4 remov\$3 restrict\$4 shield \$3) near2 (bend\$3 scratch\$3 break\$4 damag\$3) near3 (disc disk DVD CD cassette diskette	US-PGPUB; USPAT	OR	ON	2010/06/03 12:41

		discette floppy floppies cassette LP record media medium)				
S65	10793	(guide level support\$3 ramp) with (slant\$3 slop \$3 inclin\$3 angl \$3) with (low\$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture)	US-PGPUB; USPAT	OR	ON	2010/06/03 12:38
S64	82	S62 AND S63	US-PGPUB; USPAT	OR	ON	2010/06/03 12:01
S63	129079	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture)	US-PGPUB; USPAT	OR	ON	2010/06/03 11:57
S62	540	360/99.06.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:57
S61	13	("3940793" "4507768" "5084855").PN. OR ("5793728"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/03 11:48
S60	58	S54 and "360"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:47
S59	0	S54 and "364"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:46
S58	0	369/75.1.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:46
S57	0	369/77.1.ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:46
S56	20	S54 and "369"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:39
S55	2	S54 and "361"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 11:39

S54	545	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4 same (disc disk DVD CD cassette diskette discette floppy floppies cassette LP record media medium)	US-PGPUB; USPAT	OR	ON	2010/06/03 11:39
S53	43	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near2 (low \$3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4 angl\$3 lift chang \$3 adjust) near2 (tip edge end peripher\$5 corner) near2 (angl\$3 inclin\$6 slop\$3)	US-PGPUB; USPAT	OR	ON	2010/06/03 00:24

S52	131	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near2 (low \$3 bottom) near2 (edge end tip corner surface face) with (slot opening entry aperture) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4 angl\$3) near2 (tip edge end peripher \$5 corner)	US-PGPUB; USPAT	OR	ON	2010/06/03 00:13
S51	66	S48 and "720"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/03 00:11
S50	47	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4) near2 (tip edge end peripher\$5 corner) with (disc disk DVD CD cassette diskette discette floppy floppies cassette LP record media medium)	US-PGPUB; USPAT	OR	ON	2010/06/03 00:11

S49	27	(align\$5 alleviat\$4 block\$3 damp\$5 decreas\$3 diminish \$3 eliminat\$4 hinder\$4 impeded\$4 lessen\$4 low\$4 mitigat\$4 minimiz \$6 obstruct\$3 prevent\$4 reduc \$4 reliev\$4 remed \$3 remov\$3 restrict\$4 shield\$3 stop\$4 subdu\$4) near2 (bend\$3 scratch\$3 break\$4 damag\$3) with (guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4)	US-PGPUB; USPAT	OR	ON	2010/06/02 23:57
S48	545	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4) same (disc disk DVD CD cassette diskette discette floppy floppies cassette LP record	US-PGPUB; USPAT	OR	ON	2010/06/02 23:55

		media medium)				
S47	41	S42 and "369"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/02 17:11
S46	159	S44 and "720"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/02 17:11
S45	3939	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner) with (slot opening) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3) with (point\$3 direct\$4)	US-PGPUB; USPAT	OR	ON	2010/06/02 17:11
S44	21215	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3 point\$3 direct\$4) with (low \$3 bottom) with (edge end tip corner) with (slot opening) with (load\$3 unload\$3 eject\$4 pass\$3 carry\$3 transport \$3 enter\$3)	US-PGPUB; USPAT	OR	ON	2010/06/02 17:06
S43	63	S42 and "720"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/02 17:01
S42	15716	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near3 (low \$3 bottom) near3 (edge end tip corner) with (slot opening)	US-PGPUB; USPAT	OR	ON	2010/06/02 17:01

S41	5	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near1 (low \$3 bottom) with (bezel panel plate escutcheon) with (slot opening) with (align\$5 alleviat\$4 block\$3 damp\$5 decreas \$3 diminish\$3 eliminat\$4 hinder \$4 imped\$4 lessen \$4 low\$4 mitigat \$4 minimiz\$6 obstruct\$3 prevent \$4 reduc\$4 reliev \$4 remed\$3 remov \$3 restrict\$4 shield \$3 stop\$4 subdu \$4) near2 (bend\$3 scratch\$3 break\$4 damag\$3)	US-PGPUB; USPAT	OR	ON	2010/06/02 16:55
S40	179	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near1 (low \$3 bottom) with (disc disk DVD CD cassette diskette discette floppy floppies cassette LP record) with (bezel panel plate escutcheon) with (slot opening)	US-PGPUB; USPAT	OR	ON	2010/06/02 16:54
S39	116	S38 and "720"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 22:18

S38	1226	(guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near1 (low \$3 bottom) with (disc disk DVD CD cassette diskette discette floppy floppies casette LP record) with (bezel panel plate escutcheon)	US-PGPUB; USPAT	OR	ON	2010/05/31 22:17
S37	16	S35 and 360/99.02.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 14:17
S36	34	S34 and 360/99.02.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 14:17
S35	361	(bezel panel plate escutcheon) with (guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (up down lift lower rais \$3 point) with (ejection rejection load unload inject eject reject) with (disc disk DVD CD cassette diskette discette floppy floppies casette LP record)	US-PGPUB; USPAT	OR	ON	2010/05/31 14:17
S34	10078	(align\$5 alleviat\$4 block\$3 damp\$5 decreas\$3 diminish \$3 eliminat\$4 hinder\$4 imped\$4 lessen\$4 low\$4 mitigat\$4 minimiz \$6 obstruct\$3 prevent\$4 reduc \$4 reliev\$4 remed \$3 remov\$3 restrict\$4 shield\$3 stop\$4 subdu\$4) near2 (bend\$3 scratch\$3 break\$4 damag\$3) with (disc disk DVD CD cassette diskette	US-PGPUB; USPAT	OR	ON	2010/05/31 14:16

		discette floppy floppies cassette LP record)				
S33	96	720/676.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S32	129	720/647.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S31	86	720/646.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S30	18	720/628.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S29	77	720/622.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44
S28	198	720/619.ccls.	US-PGPUB; USPAT	OR	ON	2010/05/31 13:44

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S87	1	S78 and 720/646. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:38
S86	0	S78 and 720/628. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:38
S85	1	S78 and 720/622. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:37
S84	1	S78 and 720/619. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:37
S83	0	S77 and 720/628. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:36
S82	3	S77 and 720/622. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:35
S81	6	S77 and 720/619. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:34
S80	3	S77 and 720/646. ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:33

S79	4	((guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) near1 (low\$3 bottom) with (bezel panel plate escutcheon) with (slot opening) with (align\$5 alleviat\$4 block\$3 damp\$5 decreas\$3 diminish\$3 eliminat\$4 hinder\$4 impeded\$4 lessen\$4 low\$4 mitigat\$4 minimiz\$6 obstruct\$3 prevent\$4 reduc\$4 reliev\$4 remed\$3 remov\$3 restrict\$4 shield\$3 stop\$4 subdu\$4) near2 (bend\$3 scratch\$3 break\$4 damag\$3)). clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:31
S78	328	((block\$3 decreas\$3 diminish\$3 eliminat\$4 impeded\$4 lessen\$4 low\$4 mitigat\$4 minimiz\$6 prevent\$4 reduc\$4 remov\$3 restrict\$4 shield\$3) near2 (bend\$3 scratch\$3 break\$4 damag\$3) near3 (disc disk DVD CD cassette diskette discette floppy floppies cassette LP record media medium)). clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:30

S77	54013	((guide level support\$3 ramp slop\$3 inclin\$3 angl\$3) with (low \$3 bottom) with (edge end tip corner surface face) with (slot opening entry aperture)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/06/15 10:30
-----	-------	---	-----------------------------	----	----	---------------------

6/ 15/ 2010 4:27:57 PM

C:\ Documents and Settings\ cgarcia\ My Documents\ EAST\ Workspaces\ 10798476.
wsp